ELSEVIER

Aquaculture 193 (2001) 385–387

Aquaculture

www.elsevier.nl/locate/aqua-online

Contents of *Aquaculture*, Volume 193

VOL. 193 NO. 1–2 **1 FEBRUARY 2001**

Diseases, Parasites and Predators

Taura syndrome in México: follow-up study in shrimp farms of Sinaloa
M. Zarain-Herzberg (Culiacán, Mexico) and F. Ascencio-Valle (La Paz, Mexico) 1

Pharmacokinetics and metabolism of miloxacin in cultured eel
R. Ueno, Y. Okada and T. Tatsuno (Tsu, Japan) 11

Search for beneficial bacterial strains for turbot (*Scophthalmus maximus* L.) larviculture
L. Huys, P. Dhert, R. Robles (Gent, Belgium), F. Ollevier (Louvain, Belgium), P. Sorgeloos (Gent, Belgium) and J. Swings (Louvain, Gent, Belgium) 25

Genetics and Breeding

Negative correlation between aneuploidy and growth in the Pacific oyster, *Crassostrea gigas*: ten years of evidence
A. Leitão (Villefranche, France), P. Boudry (La Tremblade, France) and C. Thiriot-Quiévreux (Villefranche, France) 39

Nutrition

Effects of DHA-enriched live food on growth, survival and incidence of opercular deformities in milkfish (*Chanos chanos*)
R.S.J. Gapasin and M.N. Duray (Iloilo, Philippines) 49

Losses of lipid, protein and $n-3$ fatty acids in enriched *Artemia franciscana* starved at different temperatures
J.O. Evjemo (Trondheim, Norway), T.L. Danielsen (Olhão, Portugal) and Y. Olsen (Trondheim, Norway) 65

Optimal dietary protein and lipid levels for juvenile cobia (*Rachycentron canadum*)
R.-L. Chou, M.-S. Su (Pingtung, Taiwan) and H.-Y. Chen (Kaohsiung, Taiwan) 81

Long-term protein and lipid growth of Atlantic salmon (*Salmo salar*) fed diets with partial replacement of fish meal by soy protein products at medium or high lipid level
S. Refstie, T. Storebakken, G. Baeverfjord (Sunndalsøra, Norway) and A.J. Roem (Stavanger, Norway) 91

The effect of dietary arachidonic acid (20:4$n-6$) on growth, survival and resistance to handling stress in gilthead seabream (*Sparus aurata*) larvae
W. Koven, Y. Barr, S. Lutzky, I. Ben-Atia, R. Weiss (Eilat, Israel), M. Harel (Baltimore, MD, USA), P. Behrens (Columbia, MD, USA) and A. Tandler (Eilat, Israel) 107

Feeding rates and scope for growth of green mussels, *Perna viridis* (L.) and their relationship with food availability in Kat O, Hong Kong
W.H. Wong and S.G. Cheung (Hong Kong, People's Republic of China) 123

Husbandry and Management

The form and context of aggressive behaviour in farmed Atlantic halibut (*Hippoglossus hippoglossus* L.)
K. Greaves (Glasgow, UK) and S. Tuene (Storebø, Norway) 139

Evaluation of visual implant elastomer and alphanumeric internal tags as a method to identify juveniles of the freshwater crayfish, *Cherax destructor*
D.R. Jerry, T. Stewart, I.W. Purvis and L.R. Piper (Armidale, Australia) 149
Integrated treatment of shrimp effluent by sedimentation, oyster filtration and macroalgal absorption: a laboratory scale study
A.B. Jones (Brisbane, Qld., Cleveland, Qld., Australia), W.C. Dennison (Brisbane, Qld., Australia) and N.P. Preston (Cleveland, Qld., Australia) 155

Physiology and Endocrinology
Milt production by non-spermiating male Atlantic salmon (*Salmo salar*) after injection of a commercial gonadotropin releasing hormone analog preparation, 17α-hydroxyprogesterone or 17α,20β-dihydroxy-4-pregnen-3-one, alone or in combination
H.R. King (Wayatinah, Tas., Australia) and G. Young (Dunedin, New Zealand) 179

VOL. 193 NO. 3–4 **15 FEBRUARY 2001**

Diseases, Parasites and Predators
Development of 16S rRNA targeted PCR methods for the detection and differentiation of *Vibrio vulnificus* in marine environments
M.S. Kim and H.D. Jeong (Pusan, South Korea) 199

Genetics and Breeding
Allozyme variation in three generations of selection for whole weight in Sydney rock oysters (*Saccostrea glomerata*)
L.J. English (Hobart, Tas., Launceston, Tas., Australia), J.A. Nell (Taylors Beach, NSW, Australia), G.B. Maguire (Hobart, Tas., North Beach, Western Australia, Australia) and R.D. Ward (Hobart, Tas., Australia) 213
Growth of *Penaeus monodon* × *Penaeus esculentus* tiger prawn hybrids relative to the parental species
J.A.H. Benzie, M. Kenway and E. Ballment (Townsville, Que., Australia) 227

Husbandry and Management
Cultivation of *Gracilaria parvispora* (Rhodophyta) in shrimp-farm effluent ditches and floating cages in Hawaii: a two-phase polyculture system
S.G. Nelson, E.P. Glenn, J. Conn, D. Moore (Tucson, AZ, USA), T. Walsh (Honolulu, HI, USA) and M. Akutagawa (Molokai, HI, USA) 239
Drilling position of the ear affects growth and mortality of scallop (*Patinopecten yessoensis*, Jay) in ear-hanging culture
T. Hamada (Tokyo, Japan), N. Yamashita, T. Watanabe (Hokkaido, Japan) and S. Natsume (Sapporo, Japan) 249
Pilot evaluation of freeze-dried microalgae in the mass rearing of gilthead seabream (*Sparus aurata*) larvae
J.P. Cañavate and C. Fernández-Díaz (Cádiz, Spain) 257

Nutrition
The effects of dietary retinoic acid on body lipid deposition in juvenile red sea bream (*Pagrus major*); a preliminary study
H.Y. Ogata and H. Oku (Nansei, Japan) 271
Effect of dietary histamine supplementation on growth and tissue amine concentrations in blue shrimp *Litopenaeus stylirostris*
M. Tapia-Salazar (San Nicolas de los Garza, Mexico), T.K. Smith, A. Harris (Guelph, Ont., Canada), D. Ricque-Marie and L.-E. Cruz-Suarez (San Nicolas de los Garza, Mexico) 281
Dietary lipid level, hepatic lipogenesis and flesh quality in turbot (*Psetta maxima*)
C. Regost, J. Arzel (Plouzané, France), M. Cardinal (Nantes, France), J. Robin (Plouzané, France), M. Laroche (Nantes, France) and S.J. Kaushik (Saint Pée-sur-Nivelle, France) 291

Variations in lipid classes and fatty acid content in tissues of wild *Macrobrachium rosenbergii* (de Man) females during maturation
R.O. Cavalli (Ghent, Belgium), M. Tamtin (Petchaburi, Thailand), P. Lavens and P. Sorgeloos (Ghent, Belgium) 311
Fat deposition and flesh quality in seawater reared, triploid brown trout (*Salmo trutta*) as affected by dietary fat levels and starvation
C. Regost, J. Arzel (Plouzané, France), M. Cardinal, M. Laroche (Nantes, France) and S.J. Kaushik (Saint Pée-sur-Nivelle, France) 325

Physiology and Endocrinology
Medaka (*Oryzias latipes*) as a model for hypoosmoregulation of euryhaline fishes
T. Sakamoto, T. Kozaka (Higashi-Hiroshima, Japan), A. Takahashi, H. Kawauchi (Iwate, Japan) and M. Ando (Higashi-Hiroshima, Japan) 347
Seminal vesicle and testis secretions in *Heteropneustes fossilis* (Bloch): composition and effects on sperm motility and fertilization
I. Chowdhury and K.P. Joy (Varanasi, India) 355
Fast growth in rainbow trout is correlated with a rapid decrease in post-stress cortisol concentrations
L.S. Weil, T.P. Barry and J.A. Malison (Madison,WI, USA) 373

Book Reviews 381

Contents of *Aquaculture*, Volume 193 385